
# 1455


# Technic




# Programmable Systems

## Resources booklet












This booklet is designed to give you useful information and to help you as you work your way through the Programmable Systems material.

It also provides you with a great deal of information about Technology and you should be able to use it as a resource at any time.









Designed and produced by:

#### Tecmedia Limited

5 Granby Street Loughborough LE11 3DU Tel 0509 230248

ISBN 1 869953 00 2 Programmable Systems (Pack) ISBN 1 869953 02 9 Resources booklet

## ®LEGO is a registered trade mark © 1986 LEGO Group

These materials, both text and computer software, are fully protected by international copyright. If you make a copy and allow anyone else to retain it (*even if you give it to them*), you are committing an offence and are liable to prosecution.

You are advised, however, that the software and many of the materials are intended as reproducible masters and may be freely copied for use in the purchasing institution only.

## **Guide to contents**

Orga	anising yourself to solve problems	Page	
R1	Analysing the problem		
R2	Finding and developing ideas		
R3	Producing a solution	3.7	
R4	Evaluating the solution	3.8	
R5	Communicating your solution	3.9	
Usir	ng the equipment		
R6	Manual controller  connecting models to the controller — keystrip	3.10	
R7	Computer system	3.11	
R8	The LEGO interface — output  light brick connections — motor connections — using output connections — open loop control	3.12	
R9	The LEGO interface — input	3.13	
R10	keyboard convention — loading and saving programs — writing programs (keys) — layout of the screen — layout of a line — changing lines — LEGO <i>Lines</i> commands	3.14	
R11	<b>LEGO</b> <i>Lines</i> <b>User Guide</b>	3.15	



## Guide to contents


R0

Designing control programs using the LEGO materials		
R12	Feedbackimportance of feedback — examples of feedback	3.20
R13	<b>Developing a program</b>	3.21
R14	Structured flow diagrams (sfd's)	3.22
R15	Vehicles — ideas on structures	3.24
R16	Vehicles — ideas on drive mechanisms	3.25
R17	Vehicles — ideas on steering mechanisms	3.26
R18	Vehicles — ideas on gearboxes	3.27
R19	Ideas — indoors	3.28
R20	Ideas — outdoors	3.29
R21	Ideas — at work	3.30
R22	Glossary of terms	3.31



## Analysing the problem

**R1** 



#### How do I make a list of criteria?

Here are some ways

#### Ask yourself




#### See what others have done



#### Ask others





### Working in groups to develop ideas



Get ideas down quickly Everybody can say something Any idea will do Only one or two words per idea

#### Hints

Give important words plenty of space Group words together in topic areas Plight dogs sea air
delivery sledge
parachutes wind
siren show social
propeller dodgem




Build ideas in logical patterns Provides a good record Promotes clear thinking Ideas can be used at the end

#### Hints

Use words like *how*, *what*, *when*, *why*, *where* 

Print on the lines of mindmaps
Use words which carry **meaning**Branch in any direction and in any order on map

Link ideas using lines and arrows






Producing a solution

**R3** 


Having found several ideas for solutions you will need to:

- decide the best solution
- make it.



#### Making best use of time

There are a number of ways of analysing the solutions. You might be tempted to think that building and testing each solution would be the best way but this takes a lot of time. You will need to take short cuts by using your experience and the experience of others in your group to reach decisions.







## Evaluating the solution

**R4** 

#### What does evaluation mean?



#### When you are doing the tests



The success of each test

Reasons for weaknesses


Possible modifications

#### Note

There could be a number of reasons for weaknesses:

- —Poor design
- -Limitations of kit
- -Lack of time
- Poor criteria

#### When you are analysing the results



A general description of how well your solution solves the problem

Possible improvements

How easily the model solution could be adapted for real use



## Communicating your solution

**R5** 

#### Purpose

Give useful information to others Convince others your ideas are best Record ideas and information

#### -Your report should be -

Easily Quickly Interesting understood understood

#### WRITTEN REPORT

#### Contents

Title

Author(s)

The problem — short statement (a few lines)

The solution — short statement (a few lines)

Criteria used

Solutions considered (with evaluation of each)

Reasons for choosing your solution

Development (problems encountered and how they were overcome)

Results of evaluating the final solution

#### SPOKEN REPORT

#### Preparation

Good large diagrams (only essential detail)


Content of talk


The problem
The criteria used
Solutions considered
The solution chosen
The reasons for choice
Development problems

#### Hints

Keep the task simple
Talk to the whole audience
Do not speak too fast
Speak loud enough to be heard

Remember: sketches and diagrams are worth many words.











## Manual controller


**R6** 













## Computer system

**R7** 




#### **BBC B connections**

#### Rear




#### Underside






**R8** 


#### Interface connections for One motor models




#### Interface connections for Two motor models




#### **Output connections**







#### Use of output connections







Light on



Motor on


One way only



Motor on



One way




Other way




The LEGO interface
— input

**R9** 

#### Input connections







#### Opto-sensor brick

Electronic sensors take information from the outside world and produce electronic signals to represent that information.

The opto-sensor itself nestles in a hole in the brick. It will react to both external light and to reflected light. Care must be taken in that it will sometimes be on initially, other times off initially. You can force the sensor to be either on or off by shining a light into it from the light brick.





Connect the opto-sensor brick to bit 6 on the interface. Is the indicator light on or off? When you place your finger over the sensor it will respond to *changes* of light conditions.

Change the state of bit 6 a number of times.



**R10** 

#### **Loading LEGO Lines**

- 1 Connect computer system
- 2 Insert LEGO Lines disk into disk drive
- 3 Autoboot program SHIFT BREAK.

#### Keyboard convention

Key 1


Press key

Key 1 Key 2

means hold 1st key down, press and release 2nd key,

then release 1st key

#### Writing a program



#### **Deleting**

Character DEL
Line f9
Program

(WIPE)

E) CTRL f<sub>6</sub>

#### Running a program

Program TAB
Test of
current line

(displayed in indicator box)

COPY

#### Loading and saving a Lines program

Load CTRL fs

Save CTRL f9

#### Inserting

New line f8

#### Stopping a program

Halt/start SPACE / SPACE

Stop (**TAB** to start again)

gain) ESCAPE

End and return

to BASIC CTRL fs

#### Other utilities

Boxed display CTRL f4

(CTRL f4 or ESCAPE to return to main display)

Print

CTRL f7

Disk directory

CTRL f<sub>3</sub>




**R11** 

The LEGO models can be controlled by the LEGO Lines program running on the microcomputer.


Physical control over the models is achieved by using a pattern of signals, made up of 8 bits, which link the model and the computer together via the interface.

Each of the 8 bits may be set on or off and one pattern of the bits controls the model in a different way to another pattern.


On the screen, a bit which is set on is represented by a figure one in that bit's box whereas a bit which is set off is represented by a zero.



The LEGO *Lines* program is designed to use six of the eight bits as **output** bits. These control the motor and lamp devices from the LEGO set. These are numbered 0-5 on the interface and the indicator lights will show whether they are set on or off at any time.



The other two bits are **input** bits. These are designed to receive messages from the LEGO optosensors. These are the bits numbered 6 and 7, and the indicator lights will, again, show their on or off state.




LEGO Lines makes use of these bits to physically control the LEGO devices.

Logical control over the models is achieved by using the commands and statements available in LEGO *Lines* called *reserved words*.

Using the commands available and combining them in certain ways, the user can build up a sequence of lines which make up a control program.


The smallest program which can be created is a single line which will instruct LEGO *Lines* to control the devices attached to the computer system in a particular way. Each line can be given a label to indicate what is happening to the model when that line is being executed.



This program lights a lamp and turns on a motor.

A program usually contains a sequence of lines and these will be executed in the order they are set out from top to bottom.


Program "TWO"



This program makes a motor revolve one way and then the other way.

You will notice that these two programs do not involve any lines which have input bits in them.

Program "FOUR"



The input bits allow LEGO *Lines* to make decisions and, when required, to give commands to control a model.

This program lights a lamp and then waits until input bit 6 is turned on before it makes the motor rotate one way and then the other.

Program "MLB"



**R11** 

The LEGO *Lines* program has a number of reserved words which must not be used as labels because they are words associated with its important decision-making capability. They will always appear in capitals on the screen to distinguish them from labels, which always appear in lower case.

These are:

REPEAT

UNTIL

**ENDREPEAT** 


**FOREVER** 

IF COUNT

Using these reserved words provides structure to a control program.

The following structures are available:

#### REPEAT UNTIL



Program "SEVEN"


Lines will either be repeated or ignored **UNTIL** a certain input pattern is recognised by the program.

The input pattern on the UNTIL line is set using  $f_0$ ,  $f_1$  and, to set any value, SHIFT  $f_0$  or SHIFT  $f_1$ .

This program waits until input bit 6 is set on before it switches on the motor.

Notice that input bit 7 is set to any value, meaning that the UNTIL line will ignore the state of this particular bit and only look at input bit 6.

#### REPEAT ENDREPEAT




Program "SIX"

Lines between these two reserved words will be repeated a number of times. **ENDREPEAT** marks the end of the sequence of lines to be repeated. The number in the right-hand column of the screen on the **REPEAT** line (entered using the number keys) is how many times the **REPEAT** sequence takes place.

This program turns a lamp on and off ten times.

**R11** 

#### REPEAT FOREVER




Lines between the REPEAT line and the FOREVER line will be repeated until the ESCAPE key is used to stop the control program.

This program turns a lamp on and off forever, or until the **ESCAPE** key is used to stop it.

Program "FIVE"

#### IF ENDIF




Lines will be executed or skipped over according to a certain pattern on the input bits.

The input pattern on the IF line is set using  $f_0$ ,  $f_1$  and, to set any value, SHIFT  $f_0$  or SHIFT  $f_1$ . ENDIF is used to mark the end of the group of lines in question.

This program turns on a motor if input bit 6 is set on.

Program "NINE"

#### COUNT



This reserved word is used to count input signals on a single input bit before it goes on to execute the lines which follow. The number of input signals it is counting is entered on the right hand side of the **COUNT** line.

**COUNT** uses only one of the two input lines (7 or 6) and requires the other input line to be set to any value using **SHIFT**  $f_0$  or **SHIFT**  $f_1$  as appropriate.

This program turns on a motor if input bit 7 is set on 10 times.

Program "COUNT"

Assignments 2 and 5 introduce the use of these reserved words.



**R11** 

#### **Errors**

#### Run errors

After pressing the TAB key to run a program, *Lines* performs various checks to ensure that the structures within the program are correct.

If an error is found, *Lines* will not run the program, displaying instead a message giving the type of error found, in the form:

Lines error n (where n is a number)

These numbers refer to the following errors:

- 1 The number of REPEAT/REPEAT *n* levels exceeds eight.
- 2 The number of IF levels exceeds eight.
- 3 Input condition not properly set in COUNT.
- 4 Number to COUNT is not set.
- 5 REPEAT without UNTIL/FOREVER.
- 6 REPEAT n without ENDREPEAT.
- 7 IF without ENDIF.
- 8 UNTIL/FOREVER without REPEAT.
- 9 ENDREPEAT without REPEAT n.
- 10 ENDIF without IF.

- 11 ENDREPEAT ending a REPEAT UNTIL/FOREVER structure.
- 12 UNTIL/FOREVER ending a REPEAT *n* ENDREPEAT structure.
- 13 Incomplete IF ENDIF structure within a REPEAT *n* ENDREPEAT structure.
- 14 Incomplete IF ENDIF structure within a REPEAT UNTIL/FOREVER structure.
- 15 Incomplete REPEAT *n* ENDREPEAT structure within an IF ENDIF structure.

#### Boxed display error

Too many levels

Only six levels of nested **REPEAT** and **IF** structures can be displayed on screen. This message is shown if you attempt to display a more complex program on screen.

#### Loading and saving errors

File does not exist

This message appears when you are attempting to load a file from the disk but the name you have typed in is not found as a file name on the disk. Pressing CTRL f<sub>3</sub> will display a list of the correct names on the disk, and you can ensure that, next time, you enter the correct name.

File exists Replace? . . .

This message is displayed when you are attempting to save a file (*Lines* program) and there is already a file with that name on the disk. *Lines* expects a **YES** to overwrite the disk file with the one you are working on, or a **NO** to abandon your attempt to save the file with that name.

Disk error

If this message is displayed, there are a number of possible causes:

- The write-protect sticker has not been removed before trying to save a program.
- The disk (or disk catalogue) is full.
- The disk has been corrupted.
- The disk has been incorrectly formatted.
- The program discut has been used on a single drive system and the default drive has been set to 1.




#### **Feedback**

**R12** 

'Feedback is important in order to know where you are.'


First write down the sentence about feedback.

Now try to do the same thing again, only this time do it with your eyes shut.



This is called feedback.





The brain acts on the information it receives from the eye.

The computer system acts on the information it receives from the opto-sensor.


A *dedicated* computer system will constantly monitor the feedback from the job it is doing. Frequently, however, computer systems are required to do more than one job at the same time — this is like constantly opening and closing your eyes while you do something. Computer systems usually operate at faster speeds compared to devices they are controlling, and so they are capable of processing instructions to control more than one task.




**R13** 

A program is a sequence of instructions which solves a particular problem. The best test of a program is whether it works.

Other important criteria are whether it is efficient in terms of statements and speed, and whether it can be easily understood and followed.





**R14** 

In order to construct a structured flow diagram it is necessary to take a sentence which describes a solution to a problem and identify:

The *sequence* of events

The actions which make up these events

The tests which decide whether or not those actions take place

The loops in which actions or sequences of actions take place.

#### Look both ways and cross the road slowly if there are no vehicles coming in either direction

Sequence

Look both ways — if no vehicles — cross the road slowly

**Actions** 

Look both ways — cross the road slowly

Tests

If there are no vehicles coming in either direction

Loops

-

In a structured flow diagram the idea is to place actions into specially shaped boxes

IF a vehicle is coming

actions

REPEAT

actions

UNTIL road crossed

For the example of crossing the road:

#### Crossing road

Look both ways

IF no vehicle


Cross road slowly

#### **Crossing road**

IF no vehicles


Look both ways

Cross road slowly



**R14** 

#### Loops



There are a number of ways to organise the condition (?) which finishes the REPEAT/UNTIL loop.

REPEAT UNTIL a certain input message is received.

REPEAT UNTIL a counter reaches a certain value, in other words REPEAT a number of times

REPEAT FOREVER

In the example:

#### Crossing road

REPEAT


Look both ways

Cross road slowly


UNTIL other side

But watch out — a vehicle may be approaching!


#### In structured flow diagrams tests and loops may contain each other



Loops or tests which are within other loops or tests are described as *nested*.




**R15** 







Vehicles — ideas on drive mechanisms


**R16** 




#### No direction change













#### **Direction change**














#### Change of speed


Faster turning Slower turning

Smaller turning force Greater turning force



24 turns of worm gear to make wheel A rotate once


worm = 1 tooth gear



16 turns of worm gear to make wheel B rotate once



**R17** 







Vehicles — ideas on gearboxes


**R18** 


#### Gearboxes can be used to:


- change speed
- change direction
- change turning force.












#### Gearbox for use in Assignment 3





Ideas — indoors


**R19** 






Ideas — outdoors

**R20** 







#### Glossary of terms

R22

## Glossary of terms

**Algorithm** A set or sequence of instructions which describes a solution to a particular problem. **R13 R14** 

Any value This term is used in connection with the input bits and describes a state when it doesn't matter whether the input signal from the optosensor is on or off. This only applies when the keywords IF, UNTIL or COUNT are being used to test an input signal on a line. If both input bits are being tested, both cannot be any value: this is an error. If pulses on one input time are being counted the other input line must be set to any value. R11

Assignment This is the basic unit of coursework presented in this resource pack. There are ten assignments, A0 (a-c) to A9 (a-j). Most have more than one part.

**Autoboot** A term which is used to describe the automatic loading and running of a program from a disk. To autoboot LEGO *Lines* you simply insert the disk into the drive and press **SHIFT BREAK. R10** 

**Bit** Short for *binary digit*. Computers act on signals held in the memory. These signals are combinations of on and off electronic pulses (binary 1 and 0). Because the interface is controlled by a pattern of bits, the connections on the interface itself are referred to as the *input bits* (6 and 7) and the *output bits* (0–5). **R8 R9** 

Closed-loop control In a closed loop, the instructions will be repeated until a new condition is found, at which point the program continues. This condition is tested for either at the start or the finish of the loop, and always involves testing an input signal. R12

Commands Software commands enable you to control what the computer does. The autoboot command is an example, as is pressing CTRL f<sub>8</sub> to load a program. R11

**Computer system** All the different pieces of computer equipment (monitor, printer, disk drive, cables and leads as well as the computer itself) go to make up the computer system. **R7** 

**Condition** In LEGO *Lines*, this term describes the pattern of input signals being tested. The pattern you set on the screen is the condition and this is matched against what is happening on the interface. If they are the same, the condition is met and the **IF** or **UNTIL** command is then executed. **R11** 

**Criteria** A list of statements of what the solution to a problem must achieve if it is to be called successful. A successful vanilla ice-cream should be white, creamy, sweet and, of course, taste of vanilla. These are all *criteria*. **R1** 

**Cursor block** The cursor block is the oblong which appears on screen to indicate where the next character will appear when it is typed. It is also used to show which line is being performed when a LEGO *Lines* program is being run. **R10** 

**Drive mechanism** This is the means by which the energy from the motor is transferred to the axles, pulleys or gears of a mechanical device. **R16** 

Feedback The process by which a controlling system, such as a computer, obtains necessary information about the device it is controlling. R12

**Gearbox** An arrangement of gears which is linked to a motor in order to change the speed, direction or turning force of the output shaft. **R18** 

Hard copy Anything which ends up on paper (printout, or just program sheets) which can therefore be saved for future reference, unlike information appearing on screen which is lost. R10

**Hardware** The physical objects making up the system. Printers, monitors, disk drives and so on, are all items of *hardware*. **R7** 

**Human senses** The five senses (sight, hearing, touch, taste and smell) which provide information which is fed back to the controlling system — the brain — which then acts on this information. **R12** 

Indicator lights The red and green lights on the interface. The green (input bits 6 and 7) lights indicate the state of the opto-sensor while the red (output) lights show power being sent to the output bits 0-5. R7-R9

**Inertia** This term refers to the difficulty experienced in making objects change their state; used here in the sense of getting things to move. When you switch a LEGO motor on, there is a very slight delay in moving the other parts attached to it. This is due to *inertia*, which must be overcome. **R12** 

**Input bit pattern** Connections through which the computer system receives information from the opto-sensors. **R9** 

Interface Used to describe the place where two things meet. The term is normally used to refer to a piece of equipment, such as the LEGO interface where signals from the computer meet signals from the outside world. R7–R9

**Label** In LEGO *Lines*, a label is a word which is entered in the left hand part of the line to describe the action which is taking place (it always appears in lower case). **R11** 

**LEGO** *Lines* A set of specially designed programs to control devices attached to a computer. **R11-R12** 



#### Glossary of terms

**R22** 

**Loop** An instruction or a group of instructions which is repeated a set number of times (an open loop) or until a particular condition is met (a closed loop). **R13–R14** 

Manual control Where devices are controlled by human beings pressing switches, they are said to be *manually controlled*. The LEGO manual controller enables you to control models easily. **R6** 

Nested loops/tests Loops or tests which are within other loops or tests are described as being nested. R14

**Open loop control** Here, the controlling device does not seek any feedback to decide whether to continue the sequence of instructions. **R12** 

Opto-sensor brick The LEGO opto-sensor brick contains a sensor which reacts to changes in the level of light which falls upon it. When a change is detected, an electronic signal is sent to the interface. R9 R12

**Output devices** In the LEGO materials, these are the light bricks and motors which may be connected to the manual controller or the output bits of the interface. **R8** 

Output bit pattern Connections through which the computer system directs power, to control devices attached to it. **R8** 

**Printout** A copy of any LEGO *Lines* program may be obtained on a printer (assuming you have one connected to the computer!) by pressing CTRL fr. **R7 R10** 

**Problem-solving process** A process, made up of a series of stages, which enables you to approach, and then come to a solution for any type of problem. Here, we are concerned with technological problems. **R1–R5** 

**Program** A sequence of instructions which, when executed in the proper order, enables a computer to solve a problem. Using LEGO *Lines*, programs may be written to control devices. These programs can be developed and recorded on the program sheets designed for this purpose. **R11 R13** 

**Reserved words** These are the keywords which appear in capital letters when you enter them in the left hand part of the program line. Unlike labels, which merely describe what is happening, these keywords make things happen and are very important in writing efficient programs. **R11** 

**Simulation** When you want to test something, it can be very expensive to build it first and then test it — what happens if it is wrong? (Imagine testing a new aeroplane!) Instead you build a model and test this. Only when you are certain that the real thing is worth building do you go ahead. This is called simulation.

**Software** This is a set of instructions which makes a computer work. LEGO *Lines* (the program, not the disk it comes on) is an example of *software*. **R11** 

**Structured flow diagram (sfd)** A diagram which illustrates the way in which the instructions making up the program solve the problem. **R14** 

**System** Any combination of parts which go together to accomplish a goal. The drinks dispenser in Assignment 5 is a system made up of sub-systems, so is the computer itself. **R7** 

Value The right hand part of the program line is where you enter values. These are of two kinds. Time values (in seconds and tenths of seconds) control how long the instruction on that line will be performed for before the program moves on. Number values (whole numbers only) control how many times a loop is repeated or how many input signals are to be counted by the COUNT keyword. R10 R11

